

广东华实照明科技有限公司

Guangdong Huashi Lighting Technology Co., Ltd

Outdoor lighting supermarket





我们聚焦整个行业供需链条的生产端,投入巨资在产品开发验证,实验检测设备、自动化生产设备、流水线创新等工业生产必备要素,首家把LED 照明灯具和机械自动化生产设备同步开发结合一体,更有效控制产品和设备匹配精准度,进而控制产品质量、提高生产效率、降低运营成本。

We focus on the production end of the supply and demand chain of the entire industry, and invest heavily in product development and verification, experimental testing equipment, automated production equipment, assembly line innovation and other necessary elements of industrial production.









Our production base is located in Zhongshan, Guangdong, covering an area of more than 30 acres, with a total number of about 400 employees, and about 50 professional engineers. The company has advanced professional production equipment and professional technical team, opened up the upstream and downstream lighting industry chain, achieved the ultimate cost performance, and is committed to providing customers with high-quality, high-performance, cost-effective industrial lighting products


















ISO9001 CE ROHS CB FC SAD VINOM IN















Design Refinement

We pursue fashion trends, and with our core design and mold development capability, we have successfully created the value of the brand, and the structure of lamps. Over more than, we focus on the application of LED light sources, our R&D ability is more advanced in LED industry. We repeating rigorous and experimental tests, we undergone strict and thorough inspections from appearance aesthetics, light efficiency, heat dissipation structure, electrical standard to the convenient and safe installation, just strive to make every pieces goods perfect in design and structure.







Multifunctional exhibition hall

More than 100 patents












Automatic aging line

Integrating sphere

Environmental testing

IES detection

Crash test





Mass production

CONTACT US

Address: Area A, 3rd Floor, North Building No. 1, Yuxing Industrial Park, Yanjiang East Road, Torch Development Zone, Zhongshan City, Guangdong, China.


TEL: +86 18922770309

Website: https://hualights.com E-mail: info@hualights.com





















High Bay Light 睿光

HHB-001



A variety of lenses are available



PRODUCT ADVANTAGES AND FEATURES

- ◆ Hollow heat sink design increase more airflow for better heat dissipation
- ◆ High lumen LED, with 50.000hrs lifespan
- ◆ Imported optical lens, its luminous efficiency up to 95%
- High quality aluminum alloy, anti-corrsion, substantial, durable. artistic . practical . High craft manifesting production value of famous brand
- Designed diamond face reflection process, super high efficiency reflection light source, effectively enhance the brightness of the illumination

Wattage	Luminous	Power factor	Voltage	Size
100W	150-200lm/W	>0.9	AC100-277V	Ø300*111
150W	150-200lm/W	>0.9	AC100-277V	Ø350°125
200W	150-200lm/W	>0.9	AC100-277V	Ø383°125
240W	150-200lm/W	>0.9	AC100-277V	Ø447*125
300W	150-200lm/W	>0.9	AC100-277V	Ø447*125








ISO CB (€ 🛫 🛕 IP65 🐷









- A	
ión []	52,29
20m.	die.
10n /	5,810
tón /	324
con L	2.052





High Bay Light睿光B



A variety of lenses are available



- Hollow heat sink design increase more airflow for better heat dissipation
- High lumen LED , with 50,000hrs lifespan
- Imported optical lens , its luminous efficiency up to 95%
 High quality aluminum alloy , anti-corrsion , substantial , durable ,
- artistic , practical . High craft manifesting production value of famous brand
 Designed diamond face reflection process , super high efficiency reflection light source , effectively enhance the brightness of the illumination

Wattage	Luminous	Power factor	Voltage	Size
100W	150-200lm/W	>0.9	AC100-277V	Ø299*110
150W	150-200lm/W	>0.9	AC100-277V	Ø346*113
200W	150-200lm/W	>0.9	AC100-277V	Ø368*118
240W	150-200lm/W	>0.9	AC100-277V	Ø380°118


























Dist (M)	Enaritr (Ik)
Iom A	52.21
2011	13.07
Jún f	\$ 5310
eom /	2.545
son f	2.092





High Bay Light睿光C



A variety of lenses are available



PRODUCT ADVANTAGES AND FEATURES

- ◆ Hollow heat sink design increase more airflow for better heat dissipation
- ◆ High lumen LED , with 50,000hrs lifespan
- ◆ Imported optical lens , its luminous efficiency up to 95%
- ◆ High quality aluminum alloy, anti-corrsion, substantial, durable, artistic, practical. High craft manifesting production value of famous brand
- ◆ Designed diamond face reflection process , super high efficiency reflection light source, effectively enhance the brightness of the illumination

Wattage	Luminous	Power factor	Voltage	Size
100W	150-200lm/W	>0.9	AC100-277V	Ø300°111
150W	150-200lm/W	>0.9	AC100-277V	Ø349*116
200W	150-200lm/W	>0.9	AC100-277V	Ø382*118
240W	150-200lm/W	>0.9	AC100-277V	Ø382*118


Driver Brand Philips Lumileds Chips






ISO CB (€ 🛫 🛕 IP65 🐷










Da (N)	Englir (N
ion A	52.28
Jun /	13.07
30m	3.810
40m	3 258
Són (2.0%






High Bay Light睿光D



A variety of lenses are available



PRODUCT ADVANTAGES AND FEATURES

- ◆ Hollow heat sink design increase more airflow for better heat dissipation
- ◆ High lumen LED , with 50,000hrs lifespan
- ◆ Imported optical lens, its luminous efficiency up to 95%
- ◆ High quality aluminum alloy, anti-corrsion, substantial, durable, artistic . practical . High craft manifesting production value of famous brand
- ◆ Designed diamond face reflection process , super high efficiency reflection light source, effectively enhance the brightness of the illumination

Wattage	Luminous	Power factor	Voltage	Size
100W	150-200lm/W	>0.9	AC100-277V	Ø300*111
150W	150-200lm/W	>0.9	AC100-277V	Ø349*116
200W	150-200lm/W	>0.9	AC100-277V	Ø382*118
240W	150-200lm/W	>0.9	AC100-277V	Ø382*118






ISO CB (€ 🚣 🛕 IP65 🐷











Dist (11) Hill	Eradic (to)
ion A	52.29
10m	13.07
31co /	\$.BIG
40m	326
50m	299





High Bay Light睿光E



A variety of lenses are available



PRODUCT ADVANTAGES AND FEATURES

- Hollow heat sink design increase more airflow for better heat dissipation
- ◆ High lumen LED , with 50,000hrs lifespan
- ◆ Imported optical lens , its luminous efficiency up to 95%
- ◆ High quality aluminum alloy, anti-corrsion, substantial, durable, artistic, practical. High craft manifesting production value of famous brand
- ◆ Designed diamond face reflection process , super high efficiency reflection light source, effectively enhance the brightness of the illumination

Wattage	Luminous	Power factor	Voltage	Size
100W	150-200lm/W	>0.9	AC100-277V	Ø300*111
150W	150-200lm/W	>0.9	AC100-277V	Ø349*116
200W	150-200lm/W	>0.9	AC100-277V	Ø382*118
240W	150-200lm/W	>0.9	AC100-277V	0382*118






ISO CB (€ 🛫 🛕 IP65 🐷




















Professional heat dissipation structure design, with good heat dissipation module design and implicit ventilation inside and outside the air duct, forming a three-dimensional heat dissipation with the upper and lower air ducts of the heat dissipation fins, which dissipates heat quickly




High Bay Light麦光二代

HHB-006
















- Hollow heat sink design increase more airflow for better heat dissipation
- High lumen LED, with 50,000hrs lifespan
- ◆ Imported optical lens, its luminous efficiency up to 95%
- ♦ High quality aluminum alloy, anti-corrsion, substantial, durable, artistic, practical. High craft manifesting production value of famous brand
- ◆ Designed diamond face reflection process , super high efficiency reflection light source, effectively enhance the brightness of the illumination

Wattage	Luminous	Power factor	Voltage	Size
100W	100-130lm/W	>0.9	AC85-305V	Ø265*116
150W	100-130lm/W	>0.9	AC85-305V	Ø306*116
200W	100-130lm/W	>0.9	AC85-305V	Ø337*116
300W	100-130lm/W	>0.9	AC85-305V	Ø365*116











Diet (M)	Engdir (Ix
ion /	52,29
10m	13.07
30w.	
40m	324
com [3,097





High Bay Light麦光

HHB-007



ISO CB (€ 🕊 🛦 IP65 🐷









- ◆ Hollow heat sink design increase more airflow for better heat dissipation
- High lumen LED, with 50,000hrs lifespan
- ◆ Imported optical lens, its luminous efficiency up to 95%
- ◆ High quality aluminum alloy, anti-corrsion, substantial, durable, artistic, practical. High craft manifesting production value of famous brand
- Designed diamond face reflection process, super high efficiency reflection light source, effectively enhance the brightness of the illumination


Wattage	Luminous	Power factor	Voltage	Size
100W	100-130lm/W	>0.9	AC100-265V	Ø266*30
150W	100-130lm/W	>0.9	AC100-265V	Ø308*30
200W	100-130lm/W	>0.9	AC100-265V	0342*43
300W	100-130lm/W	>0.9	AC100-265V	Ø365*33











Diet (M)	Englin (W
ion (55.87
16m [13.07
30m /	
40m	3258
Súm (200






High Bay Light极光

HHB-008





ISO CB (€ 🛫 🛕 IP65 🐷






- ◆ Hollow heat sink design increase more airflow for better heat dissipation
- High lumen LED, with 50,000hrs lifespan
- ◆ Imported optical lens, its luminous efficiency up to 95%
- ◆ High quality aluminum alloy, anti-consion, substantial, durable. artistic, practical, High craft manifesting production value of famous brand
- ◆ Designed diamond face reflection process , super high efficiency reflection light source, effectively enhance the brightness of the illumination

Wattage	Luminous	Power factor	Voltage	Size
100W	150-170lm/W	>0.9	AC85-305V	Ø290*140
150W	150-170lm/W	>0.9	AC85-305V	Ø330*140
200W	150-170lm/W	>0.9	AC85-305V	Ø380*150
240W	150-160lm/W	>0.9	AC85-305V	Ø380*150















High Bay Light极光B























- Hollow heat sink design increase more airflow for better heat dissipation
- ◆ High lumen LED, with 50,000hrs lifespan
- ◆ Imported optical lens , its luminous efficiency up to 95%
- ◆ High quality aluminum alloy, anti-corrsion, substantial, durable, artistic, practical. High craft manifesting production value of famous brand
- ◆ Designed diamond face reflection process , super high efficiency reflection light source, effectively enhance the brightness of the illumination


100 TO 10	50-200lm/W	>0.9	AC100-277V	00 tot1 to
100000000000000000000000000000000000000			70100-2111	Ø240°113
150W 1	50-200lm/W	>0.9	AC100-277V	Ø280*116
200W 1	50-200lm/W	>0.9	AC100-277V	Ø320°117












Dia (H) A	Enally ()
tten []	52.24
20л.	15.07
30m	5.810
40m	33,6
5tkn	2.092





High Bay Light极光C

ISO CB (€ 🛫 🛕 IP65 🐷









HHB-010

















- ◆ Hollow heat sink design increase more airflow for better heat dissipation
- ◆ High lumen LED , with 50,000hrs lifespan
- ◆ Imported optical lens , its luminous efficiency up to 95%
- ◆ High quality aluminum alloy, anti-corrsion, substantial, durable, artistic , practical . High craft manifesting production value of famous brand
- ◆ Designed diamond face reflection process , super high efficiency reflection light source, effectively enhance the brightness of the illumination

Luminous	Power factor	Voltage	Size
150-200lm/W	>0.9	AC100-277V	Ø240*113
150-200lm/W	>0.9	AC100-277V	Ø280*116
150-200lm/W	>0.9	AC100-277V	Ø320*117
	150-200lm/W 150-200lm/W	150-200lm/W >0.9 150-200lm/W >0.9	150-200lm/W >0.9 AC100-277V 150-200lm/W >0.9 AC100-277V











High Bay Light极光D

ISO CB (€ 🛫 🛕 IP65 🐷







HHB-011















- ◆ Hollow heat sink design increase more airflow for better heat dissipation
- ◆ High lumen LED , with 50,000hrs lifespan
- ◆ Imported optical lens . its luminous efficiency up to 95%
- ◆ High quality aluminum alloy , anti-corrsion , substantial , durable , artistic, practical. High craft manifesting production value of farnous brand
- ◆ Designed diamond face reflection process , super high efficiency reflection light source, effectively enhance the brightness of the illumination


0100-277V	Ø240*113
C100-277V	Ø280°116
100-277V	Ø320*117











10m /	52.29
20m	13.57
54m /	SAIG.
40m	524
50m	2.092






High Bay Light华光

HHB-012





ISO CB (€ 🕊 🛕 IP44 🐷






- Hollow heat sink design increase more airflow for better heat dissipation
- ◆ High lumen LED , with 50,000hrs lifespan
- ◆ Imported optical lens , its luminous efficiency up to 95%
- ◆ artistic , practical . High craft manifesting production value of famous brand
- ◆ Designed diamond face reflection process , super high efficiency reflection light source, effectively enhance the brightness of the illumination

		Power factor	Voltage	Size
100W	120lm/W	>0.9	AC85-305V	Ø212*102
150W	120lm/W	>0.9	AC85-305V	Ø245*105
200W	120lm/W	>0.9	AC85-305V	Ø270°110





Ian A	50.24
20m /	13,07
30m /	ું કહાર
Hum (3.748
50m L	1 1000







High Bay Light鳍片

HHB-013





ISO CB (€ 🛫 🛕 IP44 🐷








- ◆ Hollow heat sink design increase more airflow for better heat dissipation
- ◆ High lumen LED , with 50,000hrs lifespan
- ◆ Imported optical lens , its luminous efficiency up to 95%
- ◆ artistic , practical . High craft manifesting production value of famous brand
- Designed diamond face reflection process, super high efficiency reflection light source, effectively enhance the brightness of the illumination

Wattage	Luminous	Power factor	Voltage	Size
100W	110lm/W	>0.9	AC85-305V	Ø450*295
150W	110lm/W	>0.9	AC85-305V	Ø450°295
200W	110lm/W	>0.9	AC85-305V	Ø450*300
300W	110lm/W	>0.9	AC85-305V	Ø500*340













High Bay Light经典

HHB-014





ISO CB (€ 🛫 🛕 IP44 🍅






- ◆ Hollow heat sink design increase more airflow for better heat dissipation
- ◆ High lumen LED , with 50,000hrs lifespan
- ◆ Imported optical lens , its luminous efficiency up to 95%
- ◆ artistic , practical . High craft manifesting production value of famous brand
- ◆ Designed diamond face reflection process , super high efficiency reflection light source, effectively enhance the brightness of the illumination


Wattage	Luminous	Power factor	Voltage	Size
100W	90lm/W	>0.9	AC85-305V	Ø450*280
150W	90lm/W	>0.9	AC85-305V	Ø500*300
200W	90lm/W	>0.9	AC85-305V	Ø500*300
300W	90lm/W	>0.9	AC85-305V	Ø570*380
400W	90lm/W	>0.9	AC85-305V	Ø570*380
















High Bay Light风神








HHB-015










- ◆ Hollow heat sink design increase more airflow for better heat dissipation
- ◆ High lumen LED, with 50,000hrs lifespan
- ◆ Imported optical lens , its luminous efficiency up to 95%
- ◆ artistic , practical . High craft manifesting production value of famous brand
- Designed diamond face reflection process, super high efficiency reflection light source, effectively enhance the brightness of the illumination

Wattage	Luminous	Power factor	Voltage	Size
100W	130lm/W	>0.9	AC85-305V	Ø450*240
150W	130lm/W	>0.9	AC85-305V	Ø490*270
200W	130lm/W	>0.9	AC85-305V	Ø490*270
300W	130lm/W	>0.9	AC85-305V	Ø500*290





10m A	52.21
26m	15.07
30m /	\$ 5,810
40m	32.4
stan [2.032

