

广东华实照明科技有限公司

Guangdong Huashi Lighting Technology Co., Ltd

Outdoor lighting supermarket





我们聚焦整个行业供需链条的生产端,投入巨资在产品开发验证,实验检测设备、自动化生产设备、流水线创新等工业生产必备要素,首家把LED照明灯具和机械自动化生产设备同步开发结合一体,更有效控制产品和设备匹配精准度,进而控制产品质量、提高生产效率、降低运营成本

We focus on the production end of the supply and demand chain of the entire industry, and invest heavily in product development and verification, experimental testing equipment, automated production equipment, assembly line innovation and other necessary elements of industrial production.









Our production base is located in Zhongshan, Guangdong, covering an area of more than 30 acres, with a total number of about 400 employees, and about 50 professional engineers. The company has advanced professional production equipment and professional technical team, opened up the upstream and downstream lighting industry chain, achieved the ultimate cost performance, and is committed to providing customers with high-quality, high-performance, cost-effective industrial lighting products


































Design Refinement

We pursue fashion trends, and with our core design and mold development capability, we have successfully created the value of the brand, and the structure of lamps. Over more than, we focus on the application of LED light sources, our R&D ability is more advanced in LED industry. We repeating rigorous and experimental tests, we undergone strict and thorough inspections from appearance aesthetics, light efficiency, heat dissipation structure, electrical standard to the convenient and safe installation, just strive to make every pieces goods perfect in design and structure.







Multifunctional exhibition hall

More than 100 patents













Automatic aging line

Integrating sphere

Environmental testing

IES detection

Crash test





Mass production

CONTACT US

Address: Area A, 3rd Floor, North Building No. 1, Yuxing Industrial Park, Yanjiang East Road, Torch Development Zone, Zhongshan City, Guangdong, China.

TEL: +86 18922770309 Website: https://hualights.com E-mail: info@hualights.com











Solar Street Light云阳

ISO CB (€ 🛫 🛕 IP65









HSS-001









PRODUCT ADVANTAGES AND FEATURES

- A⁺ solar panel, each has a complete IV curve, conversion efficiency is
- LiFePO4 battery , the discharge depth reaches 95% and service lifespan up to 6-8 years, with high safety factor
- Low voltage led with high lumen efficiency
- Optical PC lens , luminous efficiency up to 95%
- ◆ High quality aluminum housing, anti-corrosion, durable, artistic, practical. High tech and good surface treatment of products.
- Innovative designed reflector, high reflection efficiency, greatly enhance the brightness of the lumination

	Battery	Solar Panel	Led chips	Size
100W	3.2V 10AH	5V 10W	100PCS	550*288*130
200W	3.2V 20AH	5V 20W	180PCS	660*332*130
300W	3.2V 30AH	5V 30W	240PCS	855*350*155

LIGHTING TIME























Solar Garden Light菱形


ISO CB (€ 🗹 🛕 IP65 👑








HSS-002









PRODUCT ADVANTAGES AND FEATURES

- A⁺ solar panel, each has a complete IV curve, conversion efficiency is
- LiFePO4 battery , the discharge depth reaches 95% and service lifespan up to 6-8 years, with high safety factor
- Low voltage led with high lumen efficiency
- Optical PC lens , luminous efficiency up to 95%
- High quality aluminum housing, anti-corrosion, durable, artistic, practical. High tech and good surface treatment of products.
- Innovative designed reflector, high reflection efficiency, greatly enhance the brightness of the lumination

Wattage	Battery	Solar Panel	Led chips	Size
30W	3.2V 25AH	5V 25W	256PCS	515*515*177
40W	3.2V 35AH	5V 35W	256PCS	515*515*177

LIGHTING TIME



















Solar Garden Light云霄

ISO CB (€ 🛫 🛕 IP65 🐷








HSS-003









PRODUCT ADVANTAGES AND FEATURES

- A⁺ solar panel, each has a complete IV curve, conversion efficiency is
- LiFePO4 battery , the discharge depth reaches 95% and service lifespan up to 6-8 years, with high safety factor
- Low voltage led with high lumen efficiency
- Optical PC lens . luminous efficiency up to 95%
- ◆ High quality aluminum housing , anti-corrosion , durable , artistic , practical . High tech and good surface treatment of products.
- Innovative designed reflector, high reflection efficiency, greatly enhance the brightness of the lumination

Wattage	Battery	Solar Panel	Led chips	Size
30W	3.2V 25AH	5V 25W	104PCS	Ø610*H189
40W	3.2V 35AH	5V 35W	104PCS	Ø610°H189

LIGHTING TIME




















Solar Street Light云流

ISO CB (€ 🛫 🛕 IP65 👑








HSS-004









PRODUCT ADVANTAGES AND FEATURES

- A⁺ solar panel, each has a complete IV curve, conversion efficiency is
- LiFePO4 battery , the discharge depth reaches 95% and service lifespan up to 6-8 years, with high safety factor
- Low voltage led with high lumen efficiency
- Optical PC lens, luminous efficiency up to 95%
- ◆ High quality aluminum housing , anti-corrosion . durable , artistic . practical . High tech and good surface treatment of products.
- Innovative designed reflector, high reflection efficiency, greatly enhance the brightness of the lumination

Wattage	Battery	Solar Panel	Led chips	Size
200W	3.2V 15AH	5V 18W	40PCS	256*77*588
300W	3.2V 25AH	5V 28W	84PCS	256*77*738

LIGHTING TIME


























Solar Street Light云流B







HSS-005









PRODUCT ADVANTAGES AND FEATURES

- A⁺ solar panel, each has a complete IV curve, conversion efficiency is
- LiFePO4 battery , the discharge depth reaches 95% and service lifespan up to 6-8 years, with high safety factor
- Low voltage led with high lumen efficiency
- Optical PC lens , luminous efficiency up to 95%
- ◆ High quality aluminum housing, anti-corrosion, durable, artistic, practical. High tech and good surface treatment of products.
- Innovative designed reflector, high reflection efficiency, greatly enhance the brightness of the lumination

Vattage	Battery	Solar Panel	Led chips	Size
200W	3.2V 15AH	5V 18W	40PCS	324*103*679
300W	3.2V 25AH	5V 28W	84PCS	386*107*945

LIGHTING TIME





















Solar Street Light云影

ISO CB (€ 📈 🛕 IP65 👑








HSS-006









PRODUCT ADVANTAGES AND FEATURES

- A⁺ solar panel , each has a complete IV curve , conversion efficiency is
- LiFePO4 battery, the discharge depth reaches 95% and service lifespan up to 6-8 years, with high safety factor
- Low voltage led with high lumen efficiency
- Optical PC lens, luminous efficiency up to 95%
- High quality aluminum housing, anti-corrosion, durable, artistic, practical. High tech and good surface treatment of products.
- Innovative designed reflector, high reflection efficiency, greatly enhance the brightness of the lumination

Wattage	Battery	Solar Panel	Led chips	Size
60W	12.8V 15AH	18V 50W	60PCS	703*418*184
W08	12.8V 18AH	18V 60W	112PCS	915*418*184
100W	12.8V 24AH	18V 80W	140PCS	1233*418*184
120W	25.6V 15AH	36V 100W	168PCS	1465*418*184
140W	25.6V 20AH	36V 120W	196PCS	1634*418*184
280W	25.6V 90AH	36V 280W	224PCS	2250*718*250

LIGHTING TIME

























Solar Street Light云耀

HSS-007





ISO CB (€ 💉 🛕 IP65





PRODUCT ADVANTAGES AND FEATURES

- A⁺ solar panel , each has a complete IV curve , conversion efficiency is
- LiFePO4 battery , the discharge depth reaches 95% and service lifespan up to 6-8 years, with high safety factor
- Low voltage led with high lumen efficiency
- Optical PC lens . luminous efficiency up to 95%
- ◆ High quality aluminum housing, anti-corrosion, durable, artistic, practical. High tech and good surface treatment of products.
- Innovative designed reflector, high reflection efficiency, greatly enhance the brightness of the lumination

-	Battery	Solar Panel	Led chips	Size
200W	3.2V 20AH	6V 25W	60PCS	481*204*52
300W	3.2V 30AH	6V 35W	60PCS	481*204*52
400W	3.2V 40AH	6V 45W	84PCS	574*252*52

LIGHTING TIME





















Solar Street Light云皓

ISO CB (€ 📈 🛦 IP65 👑








HSS-008









PRODUCT ADVANTAGES AND FEATURES

- A⁺ solar panel, each has a complete IV curve, conversion efficiency is
- ◆ LiFePO4 battery , the discharge depth reaches 95% and service lifespan up to 6-8 years, with high safety factor
- Low voltage led with high lumen efficiency
- Optical PC lens, luminous efficiency up to 95%
- High quality aluminum housing, anti-corrosion, durable, artistic, practical. High tech and good surface treatment of products.
- Innovative designed reflector, high reflection efficiency, greatly enhance the brightness of the lumination

Wattage	Battery	Solar Panel	Led chips	Size
200W	3.2V 20AH	6V 25W	30PCS	408*220*82
400W	3.2V 40AH	6V 45W	60PCS	479*250*82
600W	3.2V 50AH	5V 50W	90PCS	545*290*92

LIGHTING TIME





















Solar Street Light云皓B

ISO CB (€ 🛫 🛕 IP65 🤻








HSS-009









PRODUCT ADVANTAGES AND FEATURES

- ◆ A⁺ solar panel , each has a complete IV curve , conversion efficiency is
- LiFePO4 battery , the discharge depth reaches 95% and service lifespan up to 6-8 years, with high safety factor
- Low voltage led with high lumen efficiency
- Optical PC lens , luminous efficiency up to 95%
- High quality aluminum housing, anti-corrosion, durable, artistic, practical. High tech and good surface treatment of products.
- Innovative designed reflector, high reflection efficiency, greatly enhance the brightness of the lumination

Wattage	Battery	Solar Panel	Led chips	Size
200W	3.2V 20AH	6V 25W	30PCS	446*224*80
400W	3.2V 40AH	6V 45W	60PCS	466*240*80
600W	3.2V 50AH	5V 50W	90PCS	552*291*80

LIGHTING TIME


























Solar Street Light云皓C

ISO CB (€ 📈 🛦 IP65 👑



HSS-010









PRODUCT ADVANTAGES AND FEATURES

- A⁺ solar panel, each has a complete IV curve, conversion efficiency is more than 21.3%
- ◆ LiFePO4 battery , the discharge depth reaches 95% and service lifespan up to 6-8 years, with high safety factor
- Low voltage led with high lumen efficiency
- Optical PC lens , luminous efficiency up to 95%
- ◆ High quality aluminum housing, anti-corrosion, durable, artistic, practical. High tech and good surface treatment of products.
- Innovative designed reflector, high reflection efficiency, greatly enhance the brightness of the lumination

Wattage	Battery	Solar Panel	Led chips	Size
200W	3.2V 20AH	6V 25W	30PCS	452*220*77
400W	3.2V 40AH	6V 45W	60PCS	496*224*80
600W	3.2V 50AH	5V 50W	90PCS	590*300*80

LIGHTING TIME

















Solar Street Light云际

ISO CB (€ 🏒 🛕 IP65








HSS-011









PRODUCT ADVANTAGES AND FEATURES

- A⁺ solar panel, each has a complete IV curve, conversion efficiency is
- LiFePO4 battery , the discharge depth reaches 95% and service lifespan up to 6-8 years, with high safety factor
- Low voltage led with high lumen efficiency
- Optical PC lens . luminous efficiency up to 95%
- High quality aluminum housing, anti-corrosion, durable, artistic, practical. High tech and good surface treatment of products.
- Innovative designed reflector, high reflection efficiency, greatly enhance the brightness of the lumination

Wattage	Battery	Solar Panel	Led chips	Size
200W	3.2V 20AH	6V 25W	30PCS	415*220*80
400W	3.2V 40AH	6V 45W	60PCS	486*250*80
600W	3.2V 50AH	5V 50W	90PCS	558*291*80

LIGHTING TIME



















